Attached Tables of Point 3

I. Fruit plants

| | Number of pla per plant/bush | ınts (bu | shes) per | r 10 acres and | d unit va | alue of co | or | mpensation NT\$ |
|-------------------------|------------------------------------|------------------------------|-------------------------|----------------------------|---------------------------|---|----|---|
| Crop Item | Compensation quantity/age of plant | Very young (1 year) | Young (2-3 years) | Middle-aged (4-6 years) | Mature (7-10 years) | Over mature (11 years or older) | | Remark |
| Banana | 200 | 48 | 145 | 242 | 339 | 424 | | |
| Pineapple (general) | Assessed by area | 11,000 | 82,280 | 138,600 | | | | For crops that are assessed by area, if the crop is sparsely planted, the unit value of compensation per plant will be discounted by 4,000 plants per 10 acres. For the determination of age of pineapple plants, see Note 2. |
| Pineapple (improved) | Assessed by area | 19,800 | 130,680 | 367,400 | | | | For crops that are assessed by area, if the crop is sparsely planted, the unit value of compensation per plant will be discounted by 4,000 plants per 10 acres. For the determination of age of pineapple plants, see Note 2. |
| Lemon | 100 | 73 | 363 | 1,210 | 2,420 | 3,630 | | |
| Pomelo | 80 | 182 | 726 | 1,634 | 2,723 | 5,445 | | |
| Tangerine and oranges | 100 | 91 | 424 | 1,210 | 2,420 | 3,630 | | |
| Lichee, longan | 70 | 145 | 605 | 1,452 | 2,420 | 4,840 | | |
| Native mango | 80 | 73 | 605 | 1,210 | 2,420 | 4,235 | | |
| Improved mango | 100 | 97 | 363 | 1,210 | 2,420 | 3,630 | | |
| Taiwan bell fruit | 60 | 121 | 605 | 1,452 | 3,025 | 3,630 | | |

| | Compensation quantity/age of plant | Very young (1 year) | Young (2-3 years) | Middle-aged | Mature | Over | | |
|---------------------------------------|------------------------------------|------------------------------|-------------------------|-------------|--------------|-------------------------------------|---|--------|
| | 70 | | Julion | (4-6 years) | (7-10 years) | mature (11 years or older) | | Remark |
| Star fruit | | 182 | 726 | 2,420 | 3,025 | 3,630 | | |
| Pomegranate | 100 | 97 | 363 | 2,420 | 1,815 | 726 | | |
| Papaya | 200 | 31 | 726 | 484 | 242 | 121 | | |
| Peach/Plum (native) | 80 | 97 | 182 | 605 | 1,210 | 1,815 | | |
| Persimmon | 80 | 97 | 363 | 605 | 1,210 | 1,815 | | |
| Sweet Persimmon | 80 | 182 | 726 | 1,815 | 3,630 | 6,050 | | |
| Loquat | 100 | 121 | 363 | 726 | 1,452 | 2,420 | | |
| Pear/ Asian pear/Bosc pear | 100 | 121 | 484 | 1,210 | 2,178 | 3,630 | | |
| Date | 100 | 97 | 303 | 726 | 1,452 | 2,420 | | |
| Prune | 100 | 73 | 242 | 726 | 1,452 | 2,420 | | |
| Custard apple /sugar apple | 100 | 55 | 242 | 726 | 1,815 | 2,420 | | |
| Atemoya | 100 | 55 | 242 | 726 | 1,815 | 2,420 | | |
| Betel nut | 300 | 97 | 303 | 726 | 880 | 1,210 | | |
| Coconut | 70 | 242 | 605 | 1,210 | 3,025 | 4,235 | | |
| Olive | 70 | 121 | 303 | 726 | 1,452 | 2,420 | | |
| Sapodilla | 80 | 97 | 303 | 605 | 1,210 | 2,178 | | |
| Oriental pear Top-grafting pear Apple | 80 | 145 | 605 | 1,815 | 3,025 | 4,235 | | |
| Jack fruit | 80 | 182 | 605 | 1,452 | 2,420 | 3,025 | | |
| Grapefruit | 100 | 121 | 605 | 1089 | 2,299 | 3,025 | | |
| Egg fruit Mulberry | 80 100 | 121 61 | 194 145 | 605 242 | 1089 363 | 1,452 605 | 1 | |

| | Number of pla per plant/bush | nts (bu | shes) pe | r 10 acres an | d unit va | lue of co | or | mpensation NT\$ |
|--|------------------------------------|------------------------------|-------------------------|----------------------------|---------------------------|---|----|--|
| Crop Item | Compensation quantity/age of plant | Very young (1 year) | Young (2-3 years) | Middle-aged (4-6 years) | Mature (7-10 years) | Over mature (11 years or older) | | Remark |
| Grape Kiwifruit | Assessed by area | 11,616 | 58,080 | 145,200 | 198,000 | 220,000 | | |
| California plum Juicy peach | 120 | 121 | 605 | 1,210 | 1,815 | 2,420 | | |
| Avocado | 60 | 182 | 605 | 1,210 | 1,815 | 2,662 | | |
| Coffee | 60 | 61 | 242 | 484 | 726 | 968 | | |
| Cordia dichotoma | 100 | 61 | 242 | 726 | 1,210 | 1,452 | | |
| Gardenia | Assessed by area | 4,356 | 7,744 | 19,360 | 24,200 | 33,880 | | |
| Passion fruit | Assessed by area | 29,040 | 174,240 | | | | | |
| Camelia oleifera | 400 | 48 | 242 | 484 | 605 | | | |
| Ficus pumila var. awkeotsang | | 48,400 | 96,800 | 121,000 | 145,200 | 193,600 | | Assessed by area. |
| Piper betel flower Piper betel leaf | 150 | 726 | 3,025 | 4,840 | 2,420 | 1,210 | | Assessed by the number of plants. |
| Dragon fruit white | Assessed by area | 26,400 | 53,900 | 97,900 | 110,495 | 138,600 | | If the crop is sparsely planted, the unit value of compensation per plant will be discounted by 200 plants per 10 acres. |
| Dragon fruit red | Assessed by area | 39,600 | 88,000 | 165,000 | 209,000 | 231,000 | | If the crop is sparsely planted, the unit value of compensation per plant will be discounted by 200 plants per 10 acres. |

Notes:

Banana plants that are already flowered are classified as "over mature"; plants
 meters or taller are classified as "mature"; plants 1.5 ~ 2 meters tall are classified as "middle-aged"; plants less than 1.5 meters tall are classified as

"young", and newly planted banana plants are classified as "very young."

2. Pineapple:

- (1) Determination of age: Pineapple plants less than six months old from the time of planting are classified as "very young"; plants six months to one year old are classified as "young"; plants 1-2 years old are classified as "middle-aged."
- (2) For sparsely planted crops, unit value of compensation per plant is discounted based on 4,000 plants per 10 acres:

General species: NT\$36 (with fruits); NT\$19 (without fruits).

Improved species: NT\$96 (with fruits); NT\$30 (without fruits).

- 3. Papaya plants that have not budded are classified as "very young"; plants that have budded and flowered or bear small fruits are classified as "young"; plants that bear medium-sized fruits but not yet ripe are classified as "middle-aged"; plants that bear ripe fruits and are ready for mass harvest are classified as "mature"; and plants that have been mass harvested and have few fruits left are classified as "over mature."
- 4. When the seedlings in an orchard are densely planted to the extent that it becomes difficult to count them one by one, compensation will be assessed by area at the value of NT\$220 per M².
- 5. With respect to the determination of age of fruit plants, plants that continue to grow after sowing without transplant, the age count starts from the time of sowing; plants that are routinely transplanted after sowing, the age count starts from the time the plant is transplanted to the expropriated land; plants that are planted by grafting of branch or bud, the age should be measured by the number of years since grafting as well as the size of crown area. However for plants that are poorly grown or transplanted past the right age that their crown size is not normal, compensation may be assessed at lower standard.
- 6. For plants that are compensated by area, attention should be given to intercropping, vacant patches and age of plants. Where companion plants or vacant patches exceed 5%, assessment should be carried out according to Note 5 above.
- 7. Fruit plants grown in gardens or courtyards may be compensated by the actual quantity of plants in view of the landscaping condition.
- 8. For fruit plants not listed in the table, compensation should be assessed based on fruit plants belonging to the same genus or family listed in the table.
- 9. The unit value of compensation provided in the table excludes the costs of facilities.

II. Tea Plants and Bamboo Plants

A. Assessment of compensation for tea plants (the number of plants is determined by field assessment, up to 120 plants per acre).

Tea plants:

| | Unit value (NT\$) Class Max. quantity per acre | A (> 10 years) | B (5- 10 years) | C (3-5 years) | D < 3 years | E < 1 year |
|--------------|---|----------------|-----------------------|---------------------|-------------|------------|
| Tea plant | 120 | 394 | 315 | 206 | 85 | 36 |

B. Assessment of compensation for bamboo plants grown for harvesting bamboo shoots only:

| | Unit value (NT\$) Class | A | В | С |
|------------|---|-----------|-----------|----------|
| Type | Max. quantity per acre (plant, bush) | > 3 years | 1-3 years | < 1 year |
| Ma bamboo | 8 bushes (6 plants per bush) | 1,309 | 847 | 169 |
| Green | | | | |
| bamboo, | 15 bushes (6 plants | 1,634 | 847 | 169 |
| Bambusa | per bush) | 1,054 | 0-17 | 10) |
| edulis | | | | |
| Thorny | | | | |
| bamboo, | 15 bushes (6 plants | 811 | 424 | 230 |
| long-shoot | per bush) | 611 | 424 | 230 |
| Bamboo | | | | |
| Makino | 120 plants | 176 | 103 | 36 |
| bamboo | 120 plants | 170 | 103 | 30 |

- C. Compensations for other bamboo plants are assessed according to the following rules:
 - 1. For bamboo plants with no utilization value, compensation will be assessed based on the cost of forestation. The standards for cost of forestation shall follow the latest unit value publicly announced by the local forestry authority at the time of assessment.
 - 2. For bamboo plants with utilization value, compensation will be assessed based on net realizable value, that is, the market value of bamboo at the

time of assessment less necessary production costs (logging and transport) on a case-by-case basis.

D. Notes:

- 1. Newly planted ma bamboo, green bamboo, and bambusa edulis that survive but have not grown into bushes, each plant will be compensated NT\$36, up to 15 plants per acre.
- 2. Tea plants and bamboo grown in gardens or courtyards will be compensated by the actual quantity of plants in view of the landscaping condition.

III. Ornamental plants

A. Palm

| Туре | Heigh Unit val Max. qual 10 acres: p bushes > 2m | ntity per | > 10 m | 9-10 m | 8-9 m | 7-8 m | 6-7 m | 5-6 m | 4-5 m | 3-4 m | 2-3 m | 1-2 m | 0.5 – 1m (young) | <0.5 m (very young) |
|----------------------------------|---|---------------|--------|--------|--------|-------|-------|-------|-------|-------|-------|-------|------------------------|---------------------------|
| Coconut palm | 200 | 400 | 10,285 | 9,075 | 7,865 | 6,752 | 4,501 | 3,001 | 2,178 | 1,452 | 908 | 399 | 157 | 48 |
| Yellow palm | 200 | 400 | 11,035 | 7,357 | 4,901 | 3,267 | 2,178 | 1,452 | 1,271 | 1,089 | 641 | 278 | 97 | 36 |
| Sago palm | 200 bushes | 400 bushes | 22,058 | 14,702 | 9,680 | 6,534 | 4,356 | 2,904 | 1,815 | 1,186 | 690 | 278 | 97 | 12 |
| Palmiste marron | 200 | 400 | 29,004 | 19,336 | 12,887 | 8,591 | 5,711 | 3,812 | 3,267 | 2,723 | 2,178 | 944 | 254 | 36 |
| Royal palm | 200 | 400 | 22,796 | 15,198 | 10,128 | 6,752 | 4,501 | 3,001 | 2,178 | 1,452 | 908 | 399 | 157 | 48 |
| Dwarf date palm | 200 | 400 | 22,796 | 15,198 | 10,128 | 6,752 | 4,501 | 3,001 | 2,178 | 1,452 | 908 | 399 | 157 | 48 |
| Fan palm | 200 | 400 | 11,035 | 7,478 | 4,901 | 3,267 | 2,178 | 1,452 | 1,271 | 1,089 | 641 | 278 | 97 | 36 |
| Formosan date palm | 200 | 400 | 26,367 | 17,578 | 11,715 | 7,810 | 5,203 | 3,465 | 2,970 | 2,475 | 1,980 | 858 | 231 | 33 |
| California Washington palm | 200 | 400 | 20,724 | 13,816 | 9,207 | 6,138 | 4,092 | 2,728 | 1,980 | 1,320 | 825 | 363 | 143 | 44 |
| Alexandra palm | 200 | 400 | 20,724 | 13,816 | 9,207 | 6,138 | 4,092 | 2,728 | 1,980 | 1,320 | 825 | 363 | 143 | 44 |

B. Cypress

| T 750.0 | Unit va Max. qu 10 acres bushes | ght: meter alue: NT\$ cantity per : plants or | > 10 m | 9-10 m | 8-9 m | 7-8 m | 6-7 m | 5-6 m | 4-5 m | 3-4 m | 2-3 m | 1-2 m | 0.5 – 1m (young) | <0.5 m (very young) |
|-----------------------|--|--|--------|--------|--------|-------|-------|-------|-------|-------|-------|-------|---------------------|---------------------------|
| | > 2m | <2m | | | | | | | | | | | | |
| Dragon juniper | 250 | 500 | 13,008 | 11,798 | 10,588 | 9,378 | 8,168 | 5,445 | 3,993 | 2,723 | 1,271 | 436 | 157 | 36 |
| Ten-thousan d-year | 250 | 500 | | | | | | 5,445 | 3,812 | 2,541 | 1,271 | 714 | 315 | 61 |

| cypress | | | | | | | | | | | | | | |
|-------------------------------|-----|-----|--------|--------|--------|-------|-------|--------|--------|-------|-------|-------|-----|-----|
| Sargent juniper | 250 | 500 | | | | | | 3,654 | 2,432 | 1,621 | 1,077 | 714 | 351 | 121 |
| Oriental arbor vitae | 250 | 500 | | | | | | 3,908 | 2,602 | 1,730 | 726 | 278 | 157 | 36 |
| Pyramid Chinese juniper | 200 | 400 | 10,321 | 9,111 | 7,901 | 6,691 | 5,481 | 3,654 | 2,432 | 1,621 | 1,077 | 436 | 157 | 36 |
| Chinese Juniper | 200 | 400 | | | | | | 5,990 | 3,993 | 2,723 | 1,271 | 436 | 157 | 36 |
| Old gold juniper | 200 | 400 | | | | | | 17,969 | 11,979 | 8,168 | 3,812 | 1,298 | 472 | 109 |
| Blue cypress | 200 | 400 | 13,008 | 11,798 | 10,588 | 9,378 | 8,168 | 5,445 | 3,993 | 2,723 | 1,271 | 436 | 157 | 36 |

C. Trees

| Туре | height: Hei Unit va Max. qu | er at breast centimeter ght: meter the: NT\$ namity per :: plants or < 5 cm | >35 cm | 30-35 cm | 25-30 cm | 20-25 cm | 15-20 cm | 10-15 cm | 5-10 cm | >1.5 m | 0.5-1.5 m (young) | < 0.5 m (very young) |
|----------------------------|--------------------------------------|---|--------|-------------|-------------|-------------|-------------|-------------|---------|--------|-------------------------|----------------------------|
| Japanese black pine | 200 | 400 | 27,830 | 21,478 | 16,819 | 11,011 | 6,050 | 3,449 | 2, 057 | 1,029 | 363 | 61 |
| Pinus elliottii | 200 | 400 | 22,264 | 17,182 | 13,431 | 8,712 | 4,840 | 2,662 | 1,646 | 823 | 290 | 61 |
| Hoop pine | 200 | 400 | 27,830 | 21,478 | 16,819 | 11,011 | 6,050 | 3,449 | 2,057 | 1,029 | 290 | 61 |
| Norkfolk island pine | 200 | 400 | 22,264 | 17,182 | 13,431 | 8,712 | 4,840 | 2,662 | 1,646 | 823 | 242 | 61 |
| Nagi Podocarpus | 200 | 400 | | | | | | 3,300 | 1,320 | 253 | 143 | 33 |
| Buddhist pine | 200 | 400 | 25,300 | 19,525 | 15,290 | 10,010 | 5,500 | 3,135 | 1,870 | 935 | 264 | 55 |
| White michelia | 200 | 400 | 20,570 | 15,851 | 12,584 | 8,228 | 4,538 | 2,021 | 847 | 484 | 121 | 61 |
| Large-flowered Magnolia | 150 | 400 | 27,830 | 21,478 | 16,819 | 11,011 | 6,050 | 3,449 | 2,057 | 1,029 | 363 | 121 |
| Robusta Eucalyptus | 200 | 400 | 18,150 | 12,650 | 9,460 | 6,270 | 3,520 | 1,595 | 638 | 176 | 55 | 22 |
| Indian rubber bush | 150 | 400 | 18,150 | 12,650 | 9,460 | 6,270 | 3,520 | 1,595 | 638 | 165 | 55 | 22 |
| Mountain ebony | 200 | 400 | 19,965 | 13,915 | 10,406 | 6,897 | 3,872 | 1,755 | 702 | 48 | 24 | 12 |
| Royal Poinciana | 200 | 400 | 19,965 | 13,915 | 10,406 | 6,897 | 3,872 | 1,634 | 545 | 194 | 48 | 12 |
| Autumn maple tree | 200 | 400 | 20,570 | 15,851 | 12,584 | 8,228 | 4,538 | 2,021 | 847 | 109 | 36 | 12 |
| Cajeuput-tree | 200 | 400 | 19,965 | 13,915 | 10,406 | 6,897 | 3,872 | 1,755 | 702 | 61 | 36 | 12 |
| Chinese Banyan | 200 | 400 | 18,150 | 12,650 | 9,460 | 6,270 | 3,520 | 1,595 | 638 | 165 | 55 | 22 |
| Large-leaved banyan | 200 | 400 | 18,150 | 12,650 | 9,460 | 6,270 | 3,520 | 1,485 | 495 | 110 | 44 | 11 |
| Bodhi tree | 200 | 400 | 18,150 | 12,650 | 9,460 | 6,270 | 3,520 | 1,485 | 495 | 176 | 55 | 22 |

| Туре | height: Hei Unit va Max. qu | er at breast centimeter ght: meter hue: NT\$ nannty per : plants or < 5 cm | >35 cm | 30-35 cm | 25-30 cm | 20-25 cm | 15-20 cm | 10-15 cm | 5-10 cm | >1.5 m | 0.5-1.5 m (young) | < 0.5 m (very young) |
|---|--------------------------------------|--|--------|-------------|-------------|-------------|-------------|-------------|---------|--------|-------------------------|----------------------------|
| Green maple | 200 | 400 | 20,570 | 15,851 | 12,584 | 8,228 | 4,538 | 2,021 | 847 | 242 | 85 | 36 |
| Bread-fruit tree | 200 | 400 | 18,700 | 14,410 | 11,440 | 7,480 | 4,125 | 1,837 | 770 | 429 | 143 | 55 |
| Glossy-shower senna | 200 | 400 | 19,965 | 13,915 | 10,406 | 6,897 | 3,872 | 1,634 | 545 | 399 | 133 | 48 |
| Camphor Tree | 200 | 400 | 20,570 | 15,851 | 12,584 | 8,228 | 4,538 | 2,021 | 847 | 242 | 61 | 24 |
| Flame gold-rain Tree | 200 | 400 | 20,570 | 15,851 | 12,584 | 8,228 | 4,538 | 2,021 | 847 | 242 | 61 | 24 |
| Cherry blossom | 200 | 400 | 27,830 | 21,478 | 16,819 | 11,011 | 6,050 | 2,602 | 1,573 | 557 | 157 | 61 |
| Plum blossom | 200 | 400 | 27,830 | 21,478 | 16,819 | 11,011 | 6,050 | 2,602 | 1,573 | 557 | 157 | 61 |
| Peach blossom | 200 | 400 | 27,830 | 21,478 | 16,819 | 11,011 | 6,050 | 2,602 | 1,573 | 557 | 157 | 61 |
| Apricot blossom | 200 | 400 | 27,830 | 21,478 | 16,819 | 11,011 | 6,050 | 2,602 | 1,573 | 557 | 157 | 61 |
| Subcostate crape myrtle | 200 | 400 | 19,965 | 13,915 | 10,406 | 6,897 | 3,872 | 1,634 | 545 | 194 | 85 | 36 |
| Queen's Crape-myrtle | 200 | 400 | 19,965 | 13,915 | 10,406 | 6,897 | 3,872 | 1,634 | 545 | 194 | 85 | 36 |
| Fragrant Maple | 200 | 400 | 20,570 | 15,851 | 12,584 | 8,228 | 4,538 | 2,021 | 847 | 242 | 85 | 36 |
| Stiff Bottle-brush | 200 | 400 | 20,570 | 15,851 | 12,584 | 8,228 | 4,538 | 2,021 | 847 | 242 | 85 | 36 |
| Ironwood tree | 200 | 400 | 19,965 | 13,915 | 10,406 | 6,897 | 3,872 | 1,634 | 545 | 194 | 48 | 12 |
| Poonga-oil tree | 200 | 400 | 27,830 | 21,478 | 16,819 | 11,011 | 6,050 | 2,602 | 1,089 | 557 | 157 | 61 |
| Elephant apple | 200 | 400 | 27,830 | 21,478 | 16,819 | 11,011 | 6,050 | 2,602 | 1,089 | 557 | 157 | 61 |
| Tung oil tree | 200 | 400 | 19,965 | 13,915 | 10,406 | 6,897 | 3,872 | 1,634 | 545 | 194 | 48 | 12 |
| Coral bean tree | 200 | 400 | 19,965 | 13,915 | 10,406 | 6,897 | 3,872 | 1,634 | 545 | 194 | 48 | 12 |
| Japanese ternstroemia | 400 | 800 | 27,830 | 21,478 | 16,819 | 11,011 | 6,050 | 2,602 | 1,089 | 242 | 61 | 24 |
| Temple tree/ Pagoda tree (Frangipani) | 450 | 900 | 25,300 | 19,525 | 15,290 | 10,010 | 5,500 | 2,365 | 990 | 572 | 363 | 44 |

D. Shrubs

| Туре | Height: meter Unit value: NT\$ Max. quantity per 10 acres: plants or | > 4 m | 3-4 m | 2-3 m | 1-2 m | 0.5 – 1 m | < 0.5m |
|--------------------|---|-------|-------|-------|-------|-----------|--------|
| Salix argyracea | bushes 500 | 545 | 454 | 309 | 128 | 36 | 12 |
| Camellia | 450 | 3,001 | 1,997 | 1,452 | 641 | 254 | 48 |
| Crape jasmine | 450 | 1,041 | 690 | 460 | 218 | 73 | 19 |
| Banana magnolia | 450 | 3,001 | 1,997 | 1,089 | 545 | 109 | 48 |
| Sweet osmanthus | 450 | 2,178 | 1,452 | 726 | 460 | 182 | 48 |

| | | | 1 | Ī | 1 | 1 | |
|----------------------------------|---|-------|-------|-------|-------|-----------|--------|
| Туре | Height: meter Unit value: NT\$ Max. quantity per 10 acres: plants or bushes | > 4 m | 3-4 m | 2-3 m | 1-2 m | 0.5 – 1 m | < 0.5m |
| Croton | 450 | 1,041 | 690 | 460 | 182 | 109 | 24 |
| Painted Copperleaf | 450 | 823 | 545 | 363 | 97 | 61 | 12 |
| Shrub althaea | 450 | 823 | 545 | 363 | 182 | 48 | 12 |
| Rosa rugosa | 800 | 1,851 | 1,234 | 823 | 545 | 182 | 36 |
| Century plant | 400 | | | 424 | 278 | 97 | 24 |
| Coco Magnolia | 450 | 1,561 | 1,041 | 690 | 460 | 97 | 19 |
| Peacock flower | 450 | 1,089 | 726 | 460 | 218 | 97 | 12 |
| Fragrant Dracaena | 500 | 1,271 | 1,004 | 545 | 363 | 133 | 19 |
| Sasanqua camellia | 450 | | | 823 | 545 | 182 | 24 |
| Green stripe Common Bamboo | 100 bushes | 1,271 | 1,004 | 726 | 496 | 278 | 19 |
| Rhododendron | 1,000 | 641 | 424 | 278 | 182 | 97 | 12 |
| Dwarf ixora | 1,000 | | | 750 | 496 | 327 | 73 |
| Tree of lngs (red banana) | 1,000 | 750 | 496 | 327 | 145 | 97 | 12 |
| Dwarf ground-rattan | 1,000 bushes | 327 | 218 | 145 | 97 | 61 | 19 |
| Hedge bamboo | 1,000 bushes | | | 61 | 36 | 31 | 12 |
| Japanese Serissa | 1,000 | | | 387 | 254 | 169 | 24 |
| Crown of thorns | 1,000 | | | 169 | 109 | 73 | 12 |
| Milk bush | 1,000 | 823 | 545 | 363 | 218 | 109 | 12 |
| Palm lily | 400 | | | 424 | 278 | 145 | 36 |
| Common jasmine orange | 450 | 750 | 496 | 327 | 182 | 61 | 12 |
| Orchid Tree | 200 | 2,057 | 1,367 | 823 | 278 | 48 | 19 |
| Chinese ixora | 450 | 1,125 | 750 | 496 | 278 | 48 | 19 |
| Cactus | 450 | 1,452 | 968 | 641 | 182 | 73 | 24 |
| Pomegranate | 450 | | 823 | 545 | 218 | 97 | 31 |
| Gardenia | 450 | 823 | 545 | 363 | 218 | 61 | 12 |
| Sweet-scented oleander | 450 | 823 | 545 | 278 | 97 | 48 | 12 |
| Jimonson | 450 | 823 | 545 | 363 | 242 | 97 | 43 |
| Common poinsettia | 450 | 545 | 363 | 278 | 145 | 61 | 12 |

E. Climbers and Vines

| | > 5m | 4-5 m | 3-4 m | 2-3 m | 1-2 m | < 1 m |
|------------------------|------|-------|-------|-------|-------|-------|
| Bougainvillea | 880 | 847 | 726 | 303 | 121 | 61 |
| Centipede tongavine | 436 | 290 | 194 | 145 | 97 | 61 |
| Garlic vine | 968 | 847 | 726 | 303 | 121 | 61 |
| Bleeding heart vine | 968 | 847 | 726 | 303 | 121 | 61 |
| Purple vine | 968 | 847 | 726 | 303 | 121 | 61 |
| Orange trumpet vine | 968 | 847 | 726 | 303 | 121 | 61 |
| Garlic vine | 968 | 847 | 726 | 303 | 121 | 61 |
| Boston ivy | 436 | 290 | 194 | 145 | 97 | 61 |

F. Shaped Trees

| 1.61 | iapeu i | | | | | | | | | | |
|--------------------|--------------------------------------|-----------------------------------|--------|-------------|-------------|-------------|-------------|-------------|------------|-------|---------------------|
| Туре | | price: \$ ntity | >35 cm | 30-35 cm | 25-30 cm | 20-25 cm | 15-20 cm | 10-15 cm | 5-10 cm | <5 cm | J.M. |
| Banyan Layered | 20 |) | 25,410 | 19,965 | 10,890 | 7,623 | 4,235 | 2,723 | 908 | 605 | |
| Туре | \ - | meter price: | >4m | 3.5-4 m | 3-3.5 m | 2.5-3 m | 2-2.5 m | 1.5-2 m | 1-1.5 m | <1m | |
| Cone shape | 25 | 60 | 3,025 | 2,178 | 1,815 | 1,452 | 968 | 545 | 303 | 121 | |
| Туре | Vnit NT Max. qu per acre: p | meter t price: \$ antity | >2 m | 1.5-2 m | 1-1.5 m | 0.5-1 m | <0.5 m | | | | 3 |
| Semi-spheri cal | 50 |) | 1,210 | 908 | 460 | 218 | 121 | | | | |
| Spherical | 50 |) | 2,178 | 1,634 | 823 | 387 | 242 | | | | |

G. Herbaceous Ornamentals:

1. Annual herbaceous: NT\$121/M².

2. Perennial herbaceous: NT242/M^2$.

3. Bird of Paradise:

(1) < 1 year: NT\$242/M².

(2) 1-2 years: NT\$363/M².

(3) > 2 years: NT\$605/M².

4. Gladiolus: NT\$424/M².

5. Tuberose: NT\$363/M².

6. Lily: NT\$69/plant, up to 5 plants/ M².

7. Heliconia: NT\$22/bush, up to 5 bushes/ M².

H. Other plants (unit value of compensation: NT\$)

| Max. quantity per acre: plants | 20 | | | | | | 80 | | | |
|---|--------|----------|--------------|----------------|----------------|---------------|--------------|------------|------|--|
| Sago palm | >100cm | 80-100cm | 60-80cm | 40-60cm | 20-40cm | 10-20cm | 5-10cm | <5cm | | |
| By trunk height | 5,775 | 4,538 | 2,717 | 2,178 | 1,089 | 545 | 182 | 97 | | |
| Max. quantity per acre: plants | 20 | | | | | 60 | | | | |
| Bottle palm | >40cm | 35-40cm | 30-35cm | 25-30cm | 20-25cm | 15-20cm | 10-15cm | 5-10cm | <5cm | |
| width-diamete r | 4,538 | 3,630 | 2,723 | 1,815 | 1,271 | 823 | 545 | 218 | 109 | |
| Max. quantity per acre: plants | | | | 25 | | | 60 | | | |
| Malabar chestnut | | | | >25cm | 20-25cm | 15-20cm | 10-15cm | 5-10cm | <5cm | |
| By spherical diameter | | | | 1,815 | 1,271 | 726 | 363 | 182 | 61 | |
| Max. quantity per M ² : plants | | | 5 | 7 | 10 | 15 | | | | |
| Belgium Azalea | | | >45cm 363 | 35-45cm 230 | 25-35cm 133 | 15-25cm 97 | 7-15cm 61 | <7cm 24 | | |

Notes:

- 1. (1) Densely planted flowers and plants, regardless of type, are all compensated by area; the compensation is NT\$330/ M² for woody plants, NT\$220/ M² for herbaceous plants, and NT\$110/ M² for sods.
 - (2) Flowers and plants grown in gardens or courtyards may be compensated by the actual quantity of plants in view of the landscaping condition.
- 2. Sago palm and bottle palm (densely planted in nursery) are all compensated by

area at NT\$132/M².

- 3. Green hedges are compensated at NT\$132/M² for woody hedges and 220/M² for herbaceous hedges.
- 4. For ornamental cypress trees that are cultivated and trimmed for bonsai purpose, a class is assigned at the interval of every 3cm of base diameter of the tree, and assessment is carried out based on 1 meter increment in height for each class. For trees with base diameter less than 3 cm, assessment is carried out based on 1 meter in height, and trees with base diameter 3-6 cm, assessment is carried out based on 2 meters in height, and so on.
- 5. For banyan and other trees that are cultivated and trimmed for bonsai purpose, diameter at breast height at 1 meter off ground is measured by diameter of its base x 0.8.
- 6. Trees: For devil tree, tapacloth tree, Formosan ash, golden shower tree, mahogany tree, cotton tree, common garcinia and willow tree, municipal or county (city) governments should make assessment based on the local cost of nursery stock, transport costs and transplant costs, and in reference to the local conditions, and the latest information publicly announced by the agricultural and/or forestry authorities, and follow the instructions provided in Point 11 herein.
- 7. For ornamental plants not listed in the table, compensation should be assessed based on ornamental plants belonging to the same genus or family listed in the table.

IV. Per unit area harvest value of crops: (Unit value of compensation: NT\$)

| Crop | Harvest value per 10 acres | Crop | Harvest value per 10 acres | Crop | Harvest value per 10 acres | Crop | Harvest value per 10 acres |
|----------------------|----------------------------------|--------------------------|----------------------------------|----------------------------------|----------------------------------|-----------------|----------------------------------|
| Sugar cane | 24,200 | Asparagus | 39,930 | Feed corn | 9,900 | Cucumber | 30,250 |
| Rice | 22,000 | Cabbage | 18,150 | Radish | 16,500 | Luffa squash | 21,780 |
| Sweet potato | 18,179 | Mustard green | 30,250 | Carrot | 28,600 | Snow pea | 31,460 |
| Green onion Onion | 36,300 | Chinese cabbage | 16,940 | Potato and other root vegetables | 27,830 | Peanut | 36,300 |
| Chinese leek | 39,930 | Oriental pickling melon | 15,400 | Purple ruffles basil | 27,830 | Muskmelon | 30,250 |
| White onion | 61,600 | Broccoli, Cauliflower | 32,670 | Cilantro | 50,820 | Taro | 26,620 |
| Processed | 27,500 | Edible | 84,700 | Bitter melon | 42,350 | Edible rape | 12,100 |

| Crop | Harvest value per 10 acres | Crop | Harvest value per 10 acres | Crop | Harvest value per 10 acres | Crop | Harvest value per 10 acres |
|----------------------------|----------------------------------|---------------------------------------|----------------------------------|---------------------------------|----------------------------------|--------------------------------------|----------------------------------|
| tomato | | tomato | | | | | |
| Amaranth Bok choy | 14,520 | Asparagus bean | 29,040 | Vegetable soybeans | 16,500 | Mesona | 24,200 |
| Celery | 30,250 | Lima Bean | 24,200 | Spinach | 27,500 | Ginger | 48,400 |
| Lettuce | 24,200 | Water bamboo | 48,400 | Water convolvulus | 18,150 | Sweet pepper Pepper | 48,400 |
| Eggplant | 36,300 | Watermelon | 24,200 | Pumpkin | 14,520 | Water chestnut | 76,230 |
| Lotus root | 36,300 | Runner bean | 24,200 | Crown daisy | 24,200 | Cultivated mushroom (per ping) | 1,815 |
| Strawberry | 96,800 | Winter melon | 18,150 | Soybean | 11,000 | Edible corn | 14,520 |
| Short-term leafy vegetable | 18,150 | Red bean | 33,000 | Tobacco | 24,200 | Gumbo | 24,200 |
| Sorghum | 11,000 | Mung bean | 8,800 | Edible sugarcane | 96,800 | Green manure | 9,680 |
| Millet | 24,200 | Broad bean | 30,250 | Triangular fiber rush | 18,150 | Grass | 18,150 |
| Water caltrop | 30,250 | Common rush Taiwan euphorbia | 30,250 | Sunflower | 18,150 | Oriental Sesame | 9,680 |
| Cotton | 12,100 | Cassava | 9,680 | Patchouli | 12,100 | Garlic sprouts | 46,427 |
| Chrysanthemum | 24,200 | Roselle | 24,200 | PP bag mushroom (per bag) | 14 | Garlic | 35,200 |

Notes: For crops not listed in the table, compensation should be assessed based on crops belonging to the same genus or family listed in the table.